



ODYSSEY 160-25

| | |
|-------------------------|-----------------|
| Type | 160-25 |
| Input voltage variation | ±25 % |
| Rated power | 160 kVA |
| Input voltage range | 300-500 V |
| Max input current | 308 A |
| Output voltage | 400 V |
| Rated output current | 231 A |
| Efficiency | >98 % |
| Adjustment speed | <3 millisecs |
| Dimensions WxDxH | 1200x800x2000mm |
| Weight | 750 kg |



Standard features

| | |
|---------------------------|--|
| Voltage regulation | IGBT control (double conversion technology) |
| Voltage stabilisation | Independent phase control |
| Selectable output voltage | 220-230-240V (L-N) / 380-400-415V (L-L) |
| Frequency | 50Hz ±5% or 60Hz ±5% |
| Output voltage accuracy | ±0,5% |
| Admitted load variation | Up to 100% |
| Admitted load imbalance | 100 % |
| Cooling | Forced ventilation |
| Ambient temperature | 0/+40°C |
| Storage temperature | 0/+60°C |
| Max relative humidity | <95% (non condensing) |
| Admitted overload | 110% continuous, 120% for 60s, >120% automatic by-pass protection |
| Colour | RAL 9005 |
| Protection degree | IP 2X |
| Instrumentation | 10" touch panel, multilingual (on request remotely available by dedicated software connected to the same Ethernet network) |
| Installation | Indoor |
| Communication system | MODBUS TCP/IP |
| Overvoltage protection | Class I input surge arrestors Class II output surge arrestors |
| Protections | Automatic by-pass protection |

Optional Standard Accessories

| | |
|---|---------------------------------|
| Interrupting devices ABB / SCHNEIDER - INPUT | DI ABB / SCHNEIDER 320 - INPUT |
| Interrupting devices ABB / SCHNEIDER - OUTPUT | DI ABB / SCHNEIDER 250 - OUTPUT |
| Load protection against over/undervoltage ABB / SCHNEIDER | PS ABB / SCHNEIDER 250 |
| Automatic circuit breaker and changeover switch ABB | IA-CA ABB 320 |
| Input three-phase isolation transformer DZNO | DZNO 325A |
| Integrated PFC automatic systems from 80kVA to 320kVA | PFC 80-320 160 |
| Total protection kit ABB / SCHNEIDER | kit ABB / SCHNEIDER 320 |
| EMI/RFI filters | FL 300 |